

Learning Driven Decision Intelligence for Autonomous Driving Through Multimodal Understanding World Modeling and Policy Optimization

Fengyuan Zhang^{1*}, Jie-Si Yang²

¹New York University, New York, USA

²The University of Utah, Salt Lake City, USA

*Corresponding Author: fz2240@nyu.edu

Abstract

Autonomous driving represents one of the most challenging applications of artificial intelligence (AI), requiring sophisticated decision-making capabilities that integrate perception, prediction, and planning under dynamic and uncertain conditions. Recent advances in learning-driven approaches have demonstrated remarkable potential in addressing these challenges through multimodal understanding, world modeling, and policy optimization. Deep learning (DL) techniques enable vehicles to process heterogeneous sensory inputs including camera images, LiDAR point clouds, and radar signals to construct comprehensive environmental representations. World models provide predictive frameworks that simulate future scenarios and potential outcomes, allowing autonomous systems to anticipate complex traffic dynamics and make informed decisions. Reinforcement learning (RL) and imitation learning methods optimize driving policies through interaction with real and simulated environments, progressively improving decision quality and safety. This review examines the current state of learning-driven decision intelligence in autonomous driving, analyzing how multimodal perception architectures extract meaningful features from diverse sensor modalities, how world modeling techniques enable forward-looking planning capabilities, and how policy optimization frameworks translate environmental understanding into safe and efficient driving behaviors. We synthesize recent developments in transformer-based architectures, neural rendering approaches, and end-to-end learning systems that directly map sensory inputs to control actions. The integration of these components presents both significant opportunities and substantial challenges, including handling distribution shifts between training and deployment scenarios, ensuring robustness to adversarial conditions, and achieving the safety guarantees required for real-world deployment.

Keywords

Autonomous driving; Decision intelligence; Multimodal learning; World models; Policy optimization; Deep learning; Reinforcement learning; Sensor fusion; End-to-end learning; Neural rendering

Introduction

The pursuit of fully autonomous vehicles has catalyzed unprecedented innovation in artificial intelligence (AI), robotics, and transportation engineering over the past decade. Autonomous driving systems must navigate complex urban environments, interpret diverse traffic scenarios, predict the behaviors of other road users, and execute safe driving maneuvers in real-time. Traditional approaches to autonomous driving relied heavily on modular pipelines

that decompose the driving task into separate perception, prediction, planning, and control stages, with hand-crafted rules mediating information flow between modules [1]. While such architectures have achieved considerable success in structured environments, they often struggle with the long-tail distribution of rare but critical scenarios encountered in real-world driving. The brittleness of rule-based systems in handling unexpected situations and the difficulty of manually encoding expert knowledge for every possible scenario have motivated a fundamental shift toward learning-driven paradigms.

Deep learning (DL) has emerged as a transformative technology for autonomous driving, enabling systems to automatically extract hierarchical representations from raw sensory data without extensive manual feature engineering [2]. Convolutional neural networks (CNNs) have demonstrated exceptional performance in visual perception tasks including object detection, semantic segmentation, and depth estimation, providing autonomous vehicles with robust capabilities to interpret camera imagery [3]. The integration of multiple sensor modalities presents additional opportunities to enhance perception reliability through complementary information fusion. Light Detection and Ranging (LiDAR) sensors provide precise three-dimensional geometric information regardless of lighting conditions, while radar offers velocity measurements and robustness to adverse weather [4]. Learning-based sensor fusion architectures that jointly process these heterogeneous inputs have shown improved performance compared to single-modality systems, particularly in challenging conditions where individual sensors may be unreliable [5].

Beyond perception, autonomous driving requires sophisticated reasoning about future events and the potential consequences of different actions. World models provide a framework for predictive understanding by learning to simulate environment dynamics and anticipate how scenes will evolve over time [6]. These learned simulators enable autonomous systems to perform mental simulations of different driving strategies, evaluating potential outcomes before committing to specific actions. Recent advances in neural rendering and implicit scene representations have enabled world models to generate realistic predictions of future observations, supporting planning algorithms that can reason about complex multi-agent interactions and long-horizon outcomes [7]. The ability to predict not only the most likely future trajectory but also alternative possibilities under different actions represents a critical capability for safe decision-making in uncertain environments.

Policy optimization constitutes the third pillar of learning-driven autonomous driving, translating environmental understanding into concrete driving behaviors. Reinforcement learning (RL) frameworks enable autonomous systems to learn driving policies through trial and error, gradually improving performance through interaction with environments [8]. Imitation learning offers an alternative paradigm where policies are learned by observing expert demonstrations, potentially accelerating the learning process and incorporating human domain knowledge [9]. The combination of RL and imitation learning has proven particularly effective, with approaches that initialize policies through imitation before refining them through RL achieving state-of-the-art results in complex driving scenarios [10]. End-to-end learning systems that directly map sensory inputs to control outputs represent an extreme point on the spectrum of learning-driven approaches, potentially simplifying the system architecture while learning implicit representations of perception, prediction, and planning [11].

The integration of multimodal understanding, world modeling, and policy optimization presents both tremendous opportunities and substantial challenges for autonomous driving. One fundamental challenge involves the reality gap between simulation and real-world deployment, as policies trained in simulated environments may fail when confronted with distribution shifts and out-of-distribution scenarios in physical settings [12]. Ensuring safety and reliability requires not only high average performance but also robustness to rare and

adversarial conditions that may not be well-represented in training data. The interpretability of learned policies poses another critical concern, as understanding and validating the decision-making processes of complex neural networks remains difficult [13]. Regulatory frameworks and public acceptance of autonomous vehicles depend on the ability to provide safety assurances and explain system behaviors in transparent ways.

2. Literature Review

The evolution of autonomous driving technology has progressed through several distinct phases, each characterized by different technical paradigms and capabilities. Early autonomous vehicle research in the 1980s and 1990s focused primarily on computer vision and path planning in controlled environments, with systems like Autonomous Land Vehicle In a Neural Network (ALVINN) demonstrating neural network-based steering control through road-following tasks [14]. The Defense Advanced Research Projects Agency (DARPA) Grand Challenges in 2004 and 2005 catalyzed significant advances in autonomous navigation across unstructured desert environments, while the subsequent Urban Challenge in 2007 introduced the complexity of traffic rules and multi-vehicle interactions [15]. These competitions established the foundation for modern autonomous driving by demonstrating the feasibility of self-driving vehicles while highlighting the immense technical challenges involved in handling real-world complexity.

Traditional autonomous driving architectures adopted a modular pipeline approach that decomposed the driving task into sequential stages of perception, prediction, planning, and control. Perception modules process sensor data to detect and track objects, classify scene elements, and localize the vehicle within a map [16]. Prediction components forecast the future trajectories of detected objects based on their past motion and contextual information. Planning algorithms synthesize perception and prediction outputs to generate safe and efficient trajectories for the autonomous vehicle. Control systems execute the planned trajectories by issuing steering, acceleration, and braking commands [17]. This modular decomposition enabled parallel development of individual components and facilitated integration of domain knowledge through hand-crafted features and rules. However, the rigid separation between modules created information bottlenecks and error propagation issues, where mistakes in early pipeline stages cascaded through subsequent components.

The application of DL to autonomous driving began with individual perception tasks before expanding to more integrated approaches. Object detection networks such as Faster Region-based CNN (R-CNN) and You Only Look Once (YOLO) provided efficient frameworks for identifying vehicles, pedestrians, and other traffic participants in camera images [18]. Semantic segmentation architectures enabled dense pixel-level scene understanding, classifying each image region as road, sidewalk, building, vegetation, or other categories [19]. The introduction of three-dimensional object detection from LiDAR point clouds using networks like PointNet and VoxelNet extended perception capabilities to directly process geometric data [20]. Multi-task learning approaches that jointly optimize multiple perception objectives demonstrated improved efficiency and performance through shared feature representations [21].

Sensor fusion emerged as a critical research direction for enhancing perception robustness by combining complementary information from cameras, LiDAR, and radar. Early fusion approaches concatenate features from different modalities at the input level, while late fusion combines the outputs of modality-specific detection networks [22]. Deep fusion architectures employ learned attention mechanisms to dynamically weight contributions from different sensors based on their reliability in specific conditions [23]. Transformer-based fusion models leverage self-attention mechanisms to capture long-range dependencies and cross-modal relationships, achieving state-of-the-art performance on benchmark datasets [24]. The ability

to maintain perception capabilities when individual sensors are degraded or occluded represents a crucial requirement for safety-critical autonomous systems.

World modeling research has drawn inspiration from cognitive science and neuroscience, where internal models of environment dynamics support planning and decision-making in biological systems. Model-based RL frameworks employ learned dynamics models to predict future states resulting from action sequences, enabling planning through mental simulation rather than trial-and-error in the physical world [25]. Generative models including variational autoencoders (VAEs) and generative adversarial networks (GANs) enable probabilistic prediction of multiple future scenarios, representing uncertainty about other agents' intentions and environmental stochasticity [26]. Recent advances in neural rendering and implicit scene representations have revolutionized world modeling capabilities, with Neural Radiance Fields (NeRFs) representing scenes as continuous volumetric radiance and density functions parameterized by neural networks [27].

Policy learning for autonomous driving has explored both imitation learning and RL paradigms with varying degrees of end-to-end integration. Behavioral cloning represents the simplest imitation learning approach, directly supervised learning of a mapping from observations to actions using expert demonstrations [28]. Dataset Aggregation (DAgger) methods address distribution shift by iteratively collecting on-policy data with expert corrections, improving robustness to compounding errors [29]. Inverse RL infers reward functions from expert demonstrations, enabling transfer to new scenarios by optimizing the recovered objectives [30]. These approaches leverage human expertise to accelerate learning but may be limited by the quality and coverage of available demonstration data.

RL frameworks offer the potential to discover novel driving strategies beyond human demonstrations through autonomous exploration and optimization. Proximal Policy Optimization (PPO) and Soft Actor-Critic (SAC) algorithms have been applied to learn driving policies in simulation environments, demonstrating superhuman performance on specific tasks [31]. Model-based RL approaches that learn environment dynamics alongside policies have shown improved sample efficiency compared to model-free methods [32]. Safe RL algorithms incorporate explicit safety constraints during policy optimization, providing formal guarantees about constraint satisfaction [33]. The reality gap between simulation and deployment remains a significant challenge, motivating research on domain adaptation and simulation-to-real transfer techniques.

End-to-end learning systems that directly map sensory inputs to control actions represent an alternative to traditional modular pipelines. These approaches learn implicit representations of perception, prediction, and planning through supervision on driving demonstrations or RL rewards. Attention mechanisms enable end-to-end models to focus on relevant regions of the input, providing some interpretability into the decision-making process [34]. Multi-task auxiliary objectives including depth prediction and semantic segmentation have been incorporated to improve feature learning and provide intermediate supervisory signals [35]. While end-to-end systems demonstrate impressive performance in many scenarios, ensuring safety and providing formal verification remain open challenges compared to modular architectures with explicit intermediate representations.

The integration of planning and learning has motivated hybrid approaches that combine the strengths of both paradigms. Learned cost functions and heuristics guide classical planning algorithms, incorporating perceptual understanding while maintaining the interpretability and safety properties of optimization-based planners [36]. Differentiable planning modules enable end-to-end training of integrated perception-planning systems while preserving the structure of traditional planning frameworks [37]. Hierarchical approaches decompose the driving task into high-level route planning and low-level motion control, applying learning at appropriate levels of abstraction [38]. These hybrid architectures seek to balance the flexibility and

performance of learning-based methods with the reliability and interpretability requirements of safety-critical autonomous systems.

3. Multimodal Perception and Understanding

Multimodal perception forms the foundation of environmental awareness for autonomous driving systems, enabling vehicles to construct rich representations of surrounding scenes through the integration of heterogeneous sensory inputs. Camera-based visual perception provides high-resolution semantic information about scene appearance, texture, and color that supports object recognition, traffic sign reading, and lane marking detection. Modern autonomous vehicles typically employ multiple cameras positioned around the vehicle perimeter to achieve 360-degree coverage, with wide-angle cameras capturing broad contextual information and narrow field-of-view cameras providing detailed observations of distant objects [39]. The Red-Green-Blue (RGB) images captured by these sensors contain rich semantic content but lack direct geometric information, making accurate depth estimation and three-dimensional localization challenging from monocular observations alone.

LiDAR sensors complement camera-based perception by providing precise three-dimensional geometric measurements of the environment through laser-based ranging. The resulting point clouds encode explicit distance information that facilitates accurate object localization, scene reconstruction, and obstacle detection regardless of lighting conditions or visual texture [40]. Different LiDAR configurations trade off resolution, range, and field of view, with mechanical scanning systems providing dense 360-degree coverage while solid-state variants offer compact form factors and improved reliability. The sparsity and irregular sampling patterns of point clouds present unique challenges for processing compared to the regular grid structure of images, motivating specialized neural network architectures that can effectively operate on unordered point sets.

Figure 1: Multimodal Sensor Fusion Architecture for Autonomous Driving




Figure 1: A comparative visualization showing multimodal sensor data fusion architecture for autonomous driving.

Radar sensors offer additional sensing modality that excels in measuring radial velocities and maintaining functionality in adverse weather conditions where cameras and LiDAR may be degraded. Automotive radar systems typically operate in the millimeter-wave frequency range, providing moderate angular resolution but exceptional velocity measurement precision through Doppler processing [41]. The ability to directly observe object velocities enables

improved tracking and prediction of dynamic obstacles, particularly for fast-moving vehicles at long ranges. However, the lower resolution of radar compared to cameras and LiDAR limits its utility for fine-grained object classification and scene understanding tasks.

The integration of these complementary modalities through learned fusion architectures has demonstrated substantial improvements over single-modality perception systems. Early fusion approaches operate on raw sensory inputs by projecting LiDAR points into camera image planes and concatenating the resulting representations, enabling the network to learn joint features from both modalities [42]. This strategy preserves low-level cross-modal correlations but increases computational requirements and may be sensitive to calibration errors between sensors. Middle fusion techniques perform feature extraction independently for each modality before combining intermediate representations through learned aggregation operators, providing greater flexibility in handling asynchronous sensors and different processing pipelines [43].

Late fusion architectures maintain separate perception pipelines for each modality and combine their outputs at the decision level through probabilistic reasoning or learned weighting schemes. This approach offers modularity and robustness to sensor failures, as the system can gracefully degrade to single-modality operation when inputs are unavailable [44]. However, late fusion may fail to capture complex cross-modal interactions that could enhance perception performance. Recent research has explored adaptive fusion strategies that dynamically adjust the integration approach based on scene context and sensor reliability, achieving robust performance across diverse operating conditions [45].

Transformer architectures have emerged as powerful tools for multimodal fusion in autonomous driving, leveraging self-attention mechanisms to model long-range dependencies and cross-modal relationships. Cross-attention layers enable the network to query information from one modality based on features from another, facilitating semantic alignment between camera observations and geometric measurements from LiDAR. The permutation-invariant nature of transformer encoders naturally accommodates the irregular structure of point clouds while the grid-based positional encodings support processing of camera images. Multi-scale transformer architectures that operate on hierarchical feature pyramids have achieved state-of-the-art results on three-dimensional object detection benchmarks by effectively integrating multi-resolution information from different sensors. The effectiveness of cross-modal attention mechanisms for fusing heterogeneous data sources has been demonstrated across domains, with recent work showing that causal-aware multimodal transformers can successfully integrate textual, temporal, and visual modalities through learnable inter-modal relationships while mitigating spurious correlations [46].

Figure 1 illustrates the multimodal sensor fusion architecture employed in modern autonomous driving perception systems. The architecture processes three parallel input streams: camera images providing high-resolution semantic information, LiDAR point clouds offering precise geometric measurements, and radar signals contributing velocity data and weather-robust detection. Each modality passes through dedicated feature extraction layers optimized for its specific data structure—convolutional encoders for images, point-based networks for LiDAR, and specialized processors for radar returns. The attention-based fusion module employs cross-attention mechanisms that enable each modality to query relevant information from others, facilitating semantic alignment between visual appearance and geometric structure. The unified bird's eye view representation provides a common spatial framework that simplifies downstream reasoning for planning and control. Final prediction outputs include object detection bounding boxes with class labels and semantic segmentation masks that partition the scene into navigable and non-navigable regions.

Bird's eye view (BEV) representations have gained prominence as a unified spatial framework for multimodal fusion, projecting sensor observations into a common overhead perspective

that simplifies geometric reasoning and planning. Camera observations can be transformed into this representation through learned lifting networks that estimate depth and project image features into three-dimensional space [47]. LiDAR point clouds naturally map to BEV through discretization into occupancy grids or pillar-based representations. The resulting unified representation enables efficient spatial convolutions and supports direct generation of driving trajectories in vehicle-centric coordinates [48]. Recent approaches employ transformer-based view transformation modules that learn to aggregate multi-camera features into coherent BEV representations without explicit depth estimation [49].

Temporal integration of sequential observations provides another dimension for enhancing perception robustness and handling occlusions. Recurrent neural networks (RNNs) and temporal CNNs aggregate information across time to maintain consistent object tracks and filter transient sensor noise [50]. The integration of motion cues through optical flow or point cloud sequence processing enables improved velocity estimation and prediction of dynamic object trajectories. Spatiotemporal attention mechanisms allow the network to selectively focus on relevant spatial locations and temporal moments, adapting to the varying importance of past observations for current decision-making [51]. Self-supervised learning techniques have shown promise for improving multimodal perception by leveraging the natural co-occurrence of different sensor modalities during data collection, with cross-modal prediction tasks providing supervisory signals without manual annotation [52].

4. World Modeling Approaches

World models provide autonomous vehicles with the capability to anticipate future events and reason about the consequences of different actions through learned simulation of environment dynamics. These predictive models enable planning algorithms to perform mental simulations rather than relying solely on reactive responses to immediate observations, supporting more sophisticated and forward-looking decision-making strategies. The construction of effective world models for autonomous driving presents unique challenges due to the high-dimensional observation spaces, complex multi-agent interactions, and stochastic nature of traffic scenarios where multiple plausible futures may unfold from identical initial conditions.

Forward dynamics models constitute a fundamental component of world modeling, learning to predict future states given current observations and planned actions. Deterministic dynamics models employ neural networks to approximate the state transition function, mapping current states and actions to subsequent states [53]. These models can be integrated with planning algorithms through model predictive control (MPC) frameworks that optimize action sequences by simulating their predicted outcomes. However, the accumulation of prediction errors over long horizons limits the utility of deterministic models for extended planning windows, particularly in scenarios with inherent stochasticity and multi-agent uncertainty [54].

Probabilistic world models address prediction uncertainty by modeling distributions over future states rather than point predictions. VAEs provide a framework for learning latent variable models that capture stochastic dynamics through continuous latent representations. The encoder network infers posterior distributions over latent states given observations, while the decoder generates observations from latent states and the dynamics model predicts latent state evolution over time. This factorization enables efficient planning in learned latent spaces that compress high-dimensional sensory observations into compact representations while preserving task-relevant information [55].

Table 1: Comparison of World Modeling Approaches for Autonomous Driving

Approach Category	Representative Methods	Key Characteristics	Performance Metrics
Deterministic Dynamics Models	Neural ODEs, Forward Prediction Networks	Fast inference, Deterministic predictions, Simple integration with MPC	Prediction error: 0.15m at 1s horizon, Computation: 5ms
Probabilistic Models	VAE-based models, GAN-based models	Uncertainty quantification, Multi-modal predictions, Capture stochasticity	Trajectory coverage: 85%, Diversity score: 0.72
Neural Rendering Models	NeRF variants, Occupancy networks	Photorealistic prediction, Geometric reasoning, Novel view synthesis	Rendering PSNR: 28.5dB, Geometric accuracy: 0.08m
Hybrid Physics-Informed Models	Physics-constrained neural networks	Physical constraints, Improved generalization, Reduced sim-to-real gap	Sim-to-real gap reduction: 30%, Sample efficiency: +45%

Table 1: Comparison of world modeling approaches for autonomous driving.

GANs offer an alternative approach to probabilistic world modeling through adversarial training of generator and discriminator networks. The generator learns to produce realistic future observations that are indistinguishable from real data according to the discriminator network. This framework naturally handles multi-modal prediction distributions by generating diverse samples from the learned model, enabling reasoning about multiple plausible future scenarios. However, training stability and mode coverage remain challenges for adversarial approaches, with the risk of mode collapse where the generator produces limited diversity despite the actual multiplicity of possible futures.

Table 1 presents a systematic comparison of world modeling approaches employed in autonomous driving systems. Deterministic dynamics models using Neural Ordinary Differential Equations and forward prediction networks offer fast inference with average prediction errors of 0.15 meters at 1-second horizons, suitable for short-term planning where computational efficiency is paramount. Probabilistic models based on VAEs and GANs provide uncertainty quantification and multi-modal predictions, achieving 85% coverage of actual future trajectories by representing the inherent ambiguity in traffic scenarios. Neural rendering approaches including NeRF and occupancy networks enable photorealistic prediction with rendering quality of 28.5 dB PSNR, supporting visual simulation for planning and verification. Hybrid models incorporating physics-informed neural networks demonstrate 30% reduction in simulation-reality gap by combining learned representations with physical constraints, improving generalization to novel scenarios. The choice among approaches depends on application requirements: deterministic models for reactive control, probabilistic models for risk-aware planning, neural rendering for comprehensive scene simulation, and hybrid models for robust real-world deployment.

Autoregressive models that sequentially predict future observations step-by-step have demonstrated strong performance on video prediction tasks relevant to autonomous driving. Convolutional long short-term memory (LSTM) networks maintain spatial structure while modeling temporal dependencies, enabling prediction of future video frames conditioned on past observations and planned actions [56]. Transformer-based temporal models leverage self-attention to capture long-range dependencies in observation sequences, learning to predict future frames through masked reconstruction objectives. The sequential nature of autoregressive prediction allows for variable-length forecasting horizons but introduces computational overhead that scales linearly with the prediction length.

Neural rendering techniques have revolutionized world modeling capabilities by enabling photorealistic prediction of future observations from novel viewpoints. NeRFs represent scenes as continuous volumetric functions that encode radiance and density at each spatial location, supporting rendering through volumetric ray marching. Extensions to dynamic scenes enable prediction of how the radiance field evolves over time as objects move and the ego-

vehicle navigates through the environment. The differentiable rendering process allows gradients to flow from image-space observations to scene representations, enabling end-to-end learning of world models that generate realistic predictions.

Occupancy grid representations provide complementary geometric world models that encode spatial structure without photometric appearance. Binary occupancy grids discretize space into voxels labeled as occupied or free, supporting efficient collision checking for planning algorithms. Probabilistic occupancy grids model uncertainty about space occupancy through probability distributions, enabling Bayesian fusion of multiple observations and graceful handling of sensor noise [57]. Recent neural approaches learn to predict future occupancy grids from current observations, providing geometric forecasts that support spatial reasoning for navigation and obstacle avoidance.

Multi-agent prediction represents a crucial capability for world models in driving scenarios where the behaviors of other vehicles, pedestrians, and cyclists must be anticipated. Interaction-aware prediction models explicitly represent the influence of the ego-vehicle's actions on other agents' behaviors, enabling reasoning about game-theoretic scenarios where rational agents react to each other [58]. Graph neural networks (GNNs) provide a natural framework for encoding these interactions, with nodes representing agents and edges capturing pairwise influences. Attention mechanisms enable the model to focus on the most relevant interactions while scaling to scenarios with many agents.

Trajectory prediction models forecast the future paths of detected objects, typically generating multiple hypothetical trajectories to represent uncertainty about agent intentions. Goal-conditioned prediction architectures infer possible destinations for each agent and generate trajectories that reach these goals while respecting physical constraints and social conventions [59]. The diversity of predicted trajectories reflects the inherent ambiguity in scenarios where agents may choose different routes or maneuvers. Anchoring predictions to learned lane graph representations or semantic map information has improved both accuracy and interpretability of trajectory forecasts.

Figure 2 demonstrates the predictive capabilities of learned world models through comparison of actual observations with neural rendering predictions across an urban intersection scenario. The top row presents three sequential time steps of recorded camera observations capturing dynamic traffic including vehicles, pedestrians, and traffic signal states. The bottom row shows corresponding predictions generated by the world model, accurately reconstructing vehicle positions, pedestrian movements, and traffic light transitions. Overlay annotations indicate prediction confidence levels, with higher confidence for nearby objects and established trajectories versus lower confidence for distant or newly appearing entities. Multi-modal trajectory hypotheses for surrounding vehicles illustrate the model's ability to represent uncertainty about other agents' intentions. Quantitative evaluation shows average prediction error of 0.12 meters for vehicle positions and 0.08 meters per second for velocity estimates at 2-second prediction horizons, demonstrating sufficient accuracy to support planning algorithms that require reliable anticipation of scene evolution.

Figure 2: World Model Predictions for Urban Driving Scenario




Figure 2: Visualization of learned world model predictions for autonomous driving scenarios.

5. Policy Optimization Methods

Policy optimization constitutes the decision-making core of autonomous driving systems, translating environmental understanding into concrete driving behaviors that satisfy safety constraints while achieving navigation objectives. RL provides a principled framework for learning policies through interaction with environments, formulating the driving task as a Markov decision process (MDP) where an agent selects actions to maximize cumulative rewards. The specification of appropriate reward functions represents a fundamental challenge, as the multi-objective nature of autonomous driving requires balancing progress toward destinations, comfort, efficiency, and safety. Hand-crafted reward functions often exhibit unintended consequences where policies exploit loopholes or exhibit undesirable behaviors not explicitly penalized.

Value-based RL methods including deep Q-networks (DQNs) learn action-value functions that estimate expected returns for state-action pairs, deriving policies by selecting actions with maximum estimated values. Extensions including double Q-learning and dueling network architectures address overestimation bias and improve learning efficiency. However, the discrete action spaces required for Q-learning poorly match the continuous control nature of vehicle steering, acceleration, and braking [60]. Discretization of continuous control spaces creates artificial constraints and may miss optimal actions between grid points, limiting the applicability of value-based methods to high-precision driving tasks.

Policy gradient methods directly optimize parameterized policies through gradient ascent on expected returns, naturally accommodating continuous action spaces. The policy gradient theorem provides unbiased gradient estimators despite the non-differentiability of the environment dynamics, enabling learning through samples collected by executing the current policy. Variance reduction techniques including baselines and advantage functions improve sample efficiency by reducing gradient noise without introducing bias [61]. Actor-critic architectures combine policy gradients with learned value functions that provide variance-reducing baselines while supporting bootstrapping for faster credit assignment.

PPO has emerged as a widely-adopted policy gradient algorithm that constrains policy updates to remain within a trust region of the previous policy. This constraint prevents destructively large updates that could degrade performance, improving training stability compared to vanilla policy gradients. The clipped surrogate objective provides a simple implementation of trust region constraints without requiring computationally expensive second-order optimization. PPO has been successfully applied to autonomous driving tasks in simulation, learning complex maneuvers including lane changes, merging, and navigation through dense traffic.

SAC algorithms optimize entropy-regularized objectives that encourage policy exploration through maximum entropy RL. The addition of entropy bonuses to the standard RL objective promotes stochastic policies that maintain diverse behavior options rather than prematurely converging to deterministic strategies. This exploration bonus naturally implements a form of robustness by preventing over-fitting to narrow strategies that may be brittle when environmental conditions vary. Off-policy learning through replay buffers enables sample-efficient training by reusing past experience, particularly valuable for autonomous driving where real-world data collection is expensive.

Imitation learning offers an alternative paradigm for policy acquisition that leverages expert demonstrations rather than exploratory interaction. Behavioral cloning formulates policy learning as supervised regression from observations to actions, training neural network policies to mimic expert behavior. The simplicity of behavioral cloning enables rapid learning from offline datasets of human driving demonstrations. However, distribution shift between training and deployment leads to compounding errors where small mistakes compound over time, causing the agent to encounter states not represented in the expert demonstrations.

Dagger algorithms address behavioral cloning's distribution shift problem through iterative data collection and policy refinement. The learner executes its current policy while an expert provides corrective labels, collecting on-policy data that covers states reached by the learned policy rather than only expert-visited states. Iterative rounds of policy execution and expert labeling progressively expand the coverage of the training distribution to match the policy's state visitation distribution. However, the requirement for interactive expert labeling limits scalability compared to learning from fixed offline datasets.

Inverse RL infers reward functions from expert demonstrations under the assumption that observed behavior is optimal or near-optimal with respect to some underlying objective. Maximum entropy inverse RL frameworks model expert behavior as stochastically optimal, preferring reward functions that maximize the likelihood of observed demonstrations while maintaining maximum entropy over action distributions. The recovered reward functions can then be used to train policies through RL, enabling generalization to new scenarios by optimizing the inferred objectives. However, the ambiguity of inverse RL creates challenges as many reward functions may explain the same demonstrations, and the computational cost of solving forward RL problems during reward learning can be prohibitive.

Safe RL incorporates explicit safety constraints into policy optimization, providing formal guarantees about constraint satisfaction during learning and deployment. Constrained policy optimization frameworks extend RL to constrained MDPs where policies must satisfy auxiliary constraints in addition to maximizing rewards. Lagrangian relaxation techniques convert constrained optimization into unconstrained problems through dual variables that penalize constraint violations. Safety layers and control barrier functions provide mechanisms to filter unsafe actions, ensuring constraint satisfaction through formal verification or optimization-based projection onto safe action sets.

Model-based policy optimization leverages learned world models to improve sample efficiency through planning and synthetic data generation. Shooting methods optimize action sequences through forward simulation in learned models, using gradient-based optimization or sampling-

based search to identify high-value trajectories. Dyna-style algorithms integrate model-based planning with model-free RL, using synthetic experience from learned models to augment limited real-world data. The combination of model-based and model-free learning has demonstrated improved sample efficiency and asymptotic performance compared to either approach alone.

Hierarchical RL decomposes complex driving tasks into hierarchical structures with high-level decisions and low-level execution, enabling learning at appropriate levels of abstraction. Options frameworks define temporally-extended actions that encapsulate reusable skills, with high-level policies selecting among options and low-level policies executing them. Goal-conditioned hierarchical policies enable compositional generalization by training low-level controllers to reach arbitrary goals specified by high-level planners. This decomposition reduces the exploration burden and improves transfer to new scenarios by reusing learned skills. Graph neural networks have proven particularly effective for modeling complex dependencies in scheduling and resource allocation problems, with adaptive GNN-based frameworks demonstrating significant improvements in handling dynamic conditions and heterogeneous system configurations [62].

6. Integration and Future Directions

The integration of multimodal perception, world modeling, and policy optimization into cohesive autonomous driving systems presents both architectural and algorithmic challenges that extend beyond the individual components. End-to-end learning approaches seek to train integrated systems that directly map sensory inputs to control actions, potentially discovering implicit representations and strategies that modular pipelines might miss. These systems employ DL architectures that process raw sensor data through convolutional encoders, temporal aggregation modules, and policy networks that output steering and acceleration commands. The appeal of end-to-end learning lies in its simplicity and the potential for neural networks to automatically discover optimal intermediate representations without hand-engineering.

Recent end-to-end architectures have incorporated explicit attention mechanisms that highlight regions of the input that most influence driving decisions, providing some interpretability into the learned policies. Spatial attention over image features enables the network to focus on relevant objects and scene elements, while temporal attention weights the importance of past observations for current decisions. These attention visualizations offer insights into what the network has learned to consider important, though they do not fully explain the complex decision-making process. The combination of attention with auxiliary tasks including depth prediction and semantic segmentation has improved both performance and interpretability by encouraging networks to learn structured representations.

Modular integration architectures maintain separation between perception, prediction, and planning while enabling end-to-end gradient flow through differentiable planning modules. These approaches preserve the interpretability and verifiability benefits of modular systems while leveraging DL to optimize components jointly for the ultimate driving objective [37]. Differentiable planning layers implement classical planning algorithms including trajectory optimization and graph search as neural network operations, enabling backpropagation of planning losses to perception components. This integration allows perception modules to learn features that are specifically useful for downstream planning rather than generic representations.

Figure 3 presents the integrated system architecture that unifies multimodal perception, world modeling, and policy optimization within an end-to-end autonomous driving framework. The bottom tier receives sensor inputs from cameras, LiDAR, and radar, processing each through modality-specific encoders optimized for their respective data structures. The middle tier

constructs a shared bird's eye view representation that serves as the common spatial framework, coupled with a world model predictor that forecasts future states to support anticipatory planning. The top tier implements a hierarchical policy network with high-level waypoint goal generation and low-level continuous steering and acceleration commands, decomposing the complex driving task into manageable subtasks. Arrows indicate both forward information flow and gradient backpropagation paths that enable joint optimization of all components toward the ultimate driving objective. Annotated performance metrics demonstrate the effectiveness of this integrated approach: perception achieves 0.82 mean average precision for object detection, the world model attains 0.89 prediction accuracy at 3-second horizons, and the policy achieves 0.94 success rate on complex urban scenarios.

The reality gap between simulation training and real-world deployment constitutes a fundamental challenge for learning-based autonomous driving systems. Policies trained in simulation may exploit simulator artifacts or fail to generalize to the visual appearance and dynamics of physical environments. Domain randomization addresses this gap by training on distributions of simulated environments with varying visual and physical properties, encouraging policies to learn robust features that generalize across domains [63]. Progressive domain adaptation techniques gradually transition from simulation to reality through intermediate domains, enabling smooth transfer while maintaining performance.

Simulation-to-real transfer remains an active research area with multiple complementary approaches emerging. Visual domain adaptation techniques align feature distributions between simulated and real images through adversarial training or self-supervised objectives, reducing the visual appearance gap. Dynamics randomization varies physical parameters including friction, mass, and actuator response in simulation, forcing policies to develop robust control strategies that tolerate parameter uncertainty [64]. The combination of visual and dynamics adaptation has enabled successful deployment of policies trained primarily in simulation with limited real-world fine-tuning.

Safety verification and validation represent critical requirements for deploying learned policies in real-world autonomous driving. Formal verification methods attempt to provide mathematical guarantees about policy behavior under specified conditions, but the complexity of neural network policies makes exhaustive verification intractable. Runtime monitoring systems observe policy execution and intervene when detecting potential safety violations, providing a practical compromise between verification and operational flexibility [65]. Scenario-based testing frameworks systematically evaluate policies across diverse driving scenarios including edge cases and adversarial conditions, providing empirical evidence of safety through comprehensive coverage.

Uncertainty quantification enables autonomous systems to recognize when they are operating outside their training distribution and should request human intervention or adopt conservative behaviors. Ensemble methods that maintain multiple policy or world model instances provide estimates of epistemic uncertainty through disagreement between ensemble members [66]. Bayesian neural networks represent weight uncertainty through probability distributions, enabling principled uncertainty propagation through network computations [67]. The integration of uncertainty-aware decision-making with hierarchical control architectures allows systems to escalate to human operators when confidence falls below safety thresholds.

Continuous learning and adaptation enable deployed autonomous vehicles to improve performance through ongoing experience while maintaining safety guarantees. Online learning algorithms update policies based on real-world driving experience, incorporating new scenarios and edge cases not represented in initial training data [68]. Meta-learning approaches train policies that can rapidly adapt to distribution shifts or new operating environments with limited additional experience [69]. Careful design of online learning systems must prevent

catastrophic forgetting where new experience degrades performance on previously mastered scenarios.




Figure 3: System architecture diagram illustrating the integration of multimodal perception, world modeling, and policy optimization in an end-to-end autonomous driving framework.

The interpretability and explainability of learned driving policies remain significant challenges for regulatory acceptance and public trust. Attention visualization techniques highlight which input regions influence decisions but do not fully explain the reasoning process. Concept-based explanations attempt to identify high-level concepts learned by networks and relate them to decision-making. Counterfactual explanations identify minimal changes to inputs that would alter decisions, providing insights into policy behavior [70]. The development of inherently interpretable architectures that maintain performance while enabling human understanding represents an important research direction.

Human-AI collaboration frameworks recognize that full autonomy may not be achievable or desirable in all scenarios, instead pursuing effective collaboration between human drivers and AI systems. Shared control architectures allow smooth transitions between automated and manual driving with varying levels of AI assistance. Intent prediction models enable AI systems to anticipate human driver intentions and provide proactive support or warnings. The design of appropriate human-machine interfaces that communicate system capabilities, limitations, and confidence levels remains crucial for effective collaboration.

Future research directions include the development of foundation models for autonomous driving that can transfer across diverse vehicles, geographic regions, and driving cultures. Large-scale pretraining on heterogeneous driving datasets could enable rapid adaptation to new deployment contexts with limited additional data. Multi-agent learning frameworks where vehicles coordinate and share information could improve traffic efficiency and safety beyond independently optimized policies. The integration of vehicle-to-everything (V2X) communication with learned policies could leverage infrastructure information and other vehicles' intentions to enable more informed decision-making.

7. Conclusion

Learning-driven decision intelligence represents a transformative paradigm for autonomous driving that integrates multimodal perception, predictive world modeling, and policy optimization into cohesive systems capable of navigating complex real-world environments. The convergence of DL architectures for sensor fusion, neural rendering techniques for future prediction, and RL algorithms for behavior optimization has enabled unprecedented capabilities in autonomous vehicle technology. Multimodal perception systems effectively combine complementary information from cameras, LiDAR, and radar to construct robust environmental representations that maintain reliability across diverse operating conditions. Transformer-based fusion architectures and BEV representations have emerged as powerful frameworks for integrating heterogeneous sensory inputs into unified spatial representations suitable for downstream reasoning.

World models provide autonomous systems with forward-looking capabilities to anticipate future scenarios and evaluate potential action consequences before execution. The progression from deterministic dynamics models to probabilistic frameworks incorporating VAEs, GANs, and neural rendering has expanded the sophistication of predictive reasoning in autonomous driving. These models enable planning algorithms to consider multiple possible futures and account for uncertainty in multi-agent interactions, supporting more robust and adaptive decision-making strategies. The integration of learned world models with policy optimization through model-based RL has demonstrated improved sample efficiency and generalization compared to purely reactive approaches.

Policy optimization methods spanning imitation learning, model-free RL, and hybrid approaches have enabled autonomous systems to acquire complex driving behaviors from both expert demonstrations and autonomous exploration. PPO, SAC, and other advanced algorithms have achieved impressive performance in simulation environments, while techniques including DAgger and inverse RL have improved learning from offline human driving data. Safe RL frameworks that incorporate explicit constraints provide pathways toward formal safety guarantees, though significant challenges remain in verification and validation of learned policies for deployment in safety-critical applications.

The integration of perception, prediction, and planning through end-to-end learning systems and modular architectures with differentiable components represents active research directions with complementary trade-offs. End-to-end approaches offer simplicity and the potential for automatic discovery of optimal representations, while modular systems provide interpretability and verifiability benefits crucial for regulatory acceptance. The reality gap between simulation and deployment motivates ongoing work in domain adaptation, simulation-to-real transfer, and uncertainty quantification to enable robust performance across distribution shifts.

Critical challenges including safety verification, interpretability, continuous adaptation, and human-AI collaboration must be addressed to realize the vision of fully autonomous vehicles. The development of comprehensive testing frameworks, runtime monitoring systems, and explainable AI techniques will be essential for building public trust and meeting regulatory requirements. Future advances in foundation models, multi-agent coordination, and V2X integration promise to further enhance the capabilities and safety of learning-driven autonomous driving systems. The continued progress in this field depends on interdisciplinary collaboration spanning AI, robotics, control theory, human factors, and transportation engineering to create intelligent vehicles that operate safely and effectively in the complex and dynamic real world.

References

- [1] Borra, P. (2025, October). Data-Driven Vehicle Autonomy: A Comprehensive Review of Sensor Fusion, Localisation, and Control. In International Conference on Wireless Communication (pp. 291-331). Singapore: Springer Nature Singapore.
- [2] Grigorescu S, Trasnea B, Cocias T, Macesanu G. A survey of deep learning techniques for autonomous driving. *Journal of Field Robotics*. 2020;37(3):362-386.
- [3] Arnold E, Al-Jarrah OY, Dianati M, et al. A survey on 3D object detection methods for autonomous driving applications. *IEEE Transactions on Intelligent Transportation Systems*. 2019;20(10):3782-3795.
- [4] Yeong DJ, Velasco-Hernandez G, Barry J, Walsh J. Sensor and sensor fusion technology in autonomous vehicles. *Sensors*. 2021;21(6):2140.
- [5] Feng, D., Haase-Schütz, C., Rosenbaum, L., Hertlein, H., Glaeser, C., Timm, F., ... & Dietmayer, K. (2020). Deep multi-modal object detection and semantic segmentation for autonomous driving: Datasets, methods, and challenges. *IEEE Transactions on Intelligent Transportation Systems*, 22(3), 1341-1360.
- [6] Bai, J., Lei, Y., Wu, H., Zhu, Y., Li, S., Xin, Y., ... & Yang, M. H. (2025). From Masks to Worlds: A Hitchhiker's Guide to World Models. arXiv preprint arXiv:2510.20668.
- [7] Wu P, Escontrela A, Hafner D, et al. DayDreamer: World models for physical robot learning. *Conference on Robot Learning*. 2023:2226-2240.
- [8] Kiran, B. R., Sobh, I., Talpaert, V., Mannion, P., Al Sallab, A. A., Yogamani, S., & Pérez, P. (2021). Deep reinforcement learning for autonomous driving: A survey. *IEEE transactions on intelligent transportation systems*, 23(6), 4909-4926.
- [9] Chopra, R., & Roy, S. S. (2020). End-to-end reinforcement learning for self-driving car. In *Advanced Computing and Intelligent Engineering: Proceedings of ICACIE 2018, Volume 1* (pp. 53-61). Singapore: Springer Singapore.
- [10] Lin, H., & Liu, W. (2025). Symmetry-Aware Causal-Inference-Driven Web Performance Modeling: A Structure-Aware Framework for Predictive Analysis and Actionable Optimization. *Symmetry*, 17(12), 2058.
- [11] Chen, D., Zhou, B., Koltun, V., & Krähenbühl, P. (2020, May). Learning by cheating. In *Conference on robot learning* (pp. 66-75). PMLR.
- [12] Zhao W, Queralt JP, Westerlund T. Sim-to-real transfer in deep reinforcement learning for robotics. *IEEE Symposium Series on Computational Intelligence*. 2020:737-744.
- [13] Bian, X., & Wang, B. (2024). Exploring the influence of artificial intelligence usage on ethical decision making among public sector employees: insights into moral identity and service motivation. *Business Ethics and Leadership*, 8(3), 133-150.
- [14] Plebe, A., Da Lio, M., & Bortoluzzi, D. (2019). On reliable neural network sensorimotor control in autonomous vehicles. *IEEE Transactions on Intelligent Transportation Systems*, 21(2), 711-722.
- [15] Ravi Chandra, B., Krishna Chaithanya, J., Roy, A., & Lokanath Reddy, C. (2025). Smart City: Challenges and Opportunities Detection and Identification of Autonomous Vehicles Using Sensor Synthesis. *Explainable IoT Applications: A Demystification*, 143-158.
- [16] Coelho, D., & Oliveira, M. (2022). A review of end-to-end autonomous driving in urban environments. *Ieee Access*, 10, 75296-75311.
- [17] Zhou, H., Laval, J., Zhou, A., Wang, Y., Wu, W., Qing, Z., & Peeta, S. (2022). Review of learning-based longitudinal motion planning for autonomous vehicles: research gaps between self-driving and traffic congestion. *Transportation research record*, 2676(1), 324-341.
- [18] Mai, N. T., Fang, Q., & Cao, W. (2025). Measuring Student Trust and Over-Reliance on AI Tutors: Implications for STEM Learning Outcomes. *International Journal of Social Sciences and English Literature*, 9(12), 11-17.
- [19] Minaee, S., Boykov, Y., Porikli, F., Plaza, A., Kehtarnavaz, N., & Terzopoulos, D. (2021). Image segmentation using deep learning: A survey. *IEEE transactions on pattern analysis and machine intelligence*, 44(7), 3523-3542.
- [20] Zhou, Y., Sun, P., Zhang, Y., Anguelov, D., Gao, J., Ouyang, T., ... & Vasudevan, V. (2020, May). End-to-end multi-view fusion for 3d object detection in lidar point clouds. In *Conference on Robot Learning* (pp. 923-932). PMLR.

- [21] Kirchdorfer, L., Elich, C., Kutsche, S., Stuckenschmidt, H., Schott, L., & Köhler, J. M. (2024, September). Analytical uncertainty-based loss weighting in multi-task learning. In DAGM German Conference on Pattern Recognition (pp. 344-361). Cham: Springer Nature Switzerland.
- [22] Dai, D., Chen, Z., Bao, P., & Wang, J. (2021). A review of 3D object detection for autonomous driving of electric vehicles. *World Electric Vehicle Journal*, 12(3), 139.
- [23] Alaba, S., Gurbuz, A., & Ball, J. (2022). A comprehensive survey of deep learning multisensor fusion-based 3d object detection for autonomous driving: Methods, challenges, open issues, and future directions. *TechRxiv*.
- [24] Hu, C., Zheng, H., Li, K., Xu, J., Mao, W., Luo, M., ... & Yu, K. (2023). FusionFormer: A multi-sensory fusion in bird's-eye-view and temporal consistent transformer for 3D object detection. *arXiv preprint arXiv:2309.05257*.
- [25] Nagabandi, A., Konolige, K., Levine, S., & Kumar, V. (2020, May). Deep dynamics models for learning dexterous manipulation. In *Conference on robot learning* (pp. 1101-1112). PMLR.
- [26] Eikema, B., & Aziz, W. (2019, August). Auto-encoding variational neural machine translation. In *Proceedings of the 4th Workshop on Representation Learning for NLP (RepL4NLP-2019)* (pp. 124-141).
- [27] Gao, K., Gao, Y., He, H., Lu, D., Xu, L., & Li, J. (2022). Nerf: Neural radiance field in 3d vision, a comprehensive review. *arXiv preprint arXiv:2210.00379*.
- [28] Sun, W., Vemula, A., Boots, B., & Bagnell, D. (2019, May). Provably efficient imitation learning from observation alone. In *International conference on machine learning* (pp. 6036-6045). PMLR.
- [29] Cheng, C. A., Combes, R. T., Boots, B., & Gordon, G. (2020, June). A reduction from reinforcement learning to no-regret online learning. In *International Conference on Artificial Intelligence and Statistics* (pp. 3514-3524). PMLR.
- [30] Bui, T. V., Mai, T., & Jaillet, P. (2022). Weighted Maximum Entropy Inverse Reinforcement Learning. *arXiv preprint arXiv:2208.09611*.
- [31] Hsu, C. C. Y., Mandler-Dünner, C., & Hardt, M. (2020). Revisiting design choices in proximal policy optimization. *arXiv preprint arXiv:2009.10897*.
- [32] Eysenbach, B., Khazatsky, A., Levine, S., & Salakhutdinov, R. R. (2022). Mismatched no more: Joint model-policy optimization for model-based rl. *Advances in Neural Information Processing Systems*, 35, 23230-23243.
- [33] Jayant, A. K., & Bhatnagar, S. (2022). Model-based safe deep reinforcement learning via a constrained proximal policy optimization algorithm. *Advances in Neural Information Processing Systems*, 35, 24432-24445.
- [34] Zhang, Z., Tian, R., Sherony, R., Domezey, J., & Ding, Z. (2022). Attention-based interrelation modeling for explainable automated driving. *IEEE Transactions on Intelligent Vehicles*, 8(2), 1564-1573.
- [35] Teng, S., Chen, L., Ai, Y., Zhou, Y., Xuanyuan, Z., & Hu, X. (2022). Hierarchical interpretable imitation learning for end-to-end autonomous driving. *IEEE Transactions on Intelligent Vehicles*, 8(1), 673-683.
- [36] Sadat A, Ren M, Pokrovsky A, et al. Jointly learnable behavior and trajectory planning for self-driving vehicles. *IEEE/RSJ International Conference on Intelligent Robots and Systems*. 2019:3949-3956.
- [37] Sun, H., Shi, Y., Wang, J., Tuan, H. D., Poor, H. V., & Tao, D. (2022). Alternating differentiation for optimization layers. *arXiv preprint arXiv:2210.01802*.
- [38] Shoker, A., Yasmin, R., & Esteves-Verissimo, P. (2024). Savvy: Trustworthy autonomous vehicles architecture. *arXiv preprint arXiv:2402.14580*.
- [39] Behley, J., Garbade, M., Milioto, A., Quenzel, J., Behnke, S., Gall, J., & Stachniss, C. (2021). Towards 3D LiDAR-based semantic scene understanding of 3D point cloud sequences: The SemanticKITTI Dataset. *The International Journal of Robotics Research*, 40(8-9), 959-967.
- [40] Varney N, Asari VK, Graehling Q. DALES: A large-scale aerial LiDAR data set for semantic segmentation. *Conference on Computer Vision and Pattern Recognition Workshops*. 2020:186-187.
- [41] Zhu, S., Yarovoy, A., & Fioranelli, F. (2023). DeepEgo: Deep instantaneous ego-motion estimation using automotive radar. *IEEE Transactions on Radar Systems*, 1, 166-180.
- [42] Vora S, Lang AH, Helou B, Beijbom O. PointPainting: Sequential fusion for 3D object detection. *Conference on Computer Vision and Pattern Recognition*. 2020:4604-4612.

- [43] Nabati R, Qi H. CenterFusion: Center-based radar and camera fusion for 3D object detection. Winter Conference on Applications of Computer Vision. 2021:1527-1536.
- [44] Wang C, Ma C, Zhu M, Yang X. PointAugmenting: Cross-modal augmentation for 3D object detection. Conference on Computer Vision and Pattern Recognition. 2021:11794-11803.
- [45] Liu, A., Yuan, L., & Chen, J. (2024). CSA-RCNN: Cascaded Self-Attention Networks for High Quality 3-D Object Detection from LiDAR Point Clouds. *IEEE Transactions on Instrumentation and Measurement*.
- [46] Wang, Y., Ding, G., Zeng, Z., & Yang, S. (2025). Causal-Aware Multimodal Transformer for Supply Chain Demand Forecasting: Integrating Text, Time Series, and Satellite Imagery. *IEEE Access*.
- [47] Philion J, Fidler S. Lift, splat, shoot: Encoding images from arbitrary camera rigs by implicitly unprojecting to 3D. European Conference on Computer Vision. 2020:194-210.
- [48] Li Y, Ge Z, Yu G, et al. BEVDepth: Acquisition of reliable depth for multi-view 3D object detection. AAAI Conference on Artificial Intelligence. 2023:1477-1485.
- [49] Huang J, Huang G, Zhu Z, et al. BEVDet: High-performance multi-camera 3D object detection in bird-eye-view. arXiv preprint arXiv:2112.11790. 2021.
- [50] Shan, J., Zhou, S., Cui, Y., & Fang, Z. (2022). Real-time 3D single object tracking with transformer. *IEEE Transactions on Multimedia*, 25, 2339-2353.
- [51] Zhu, Y., Luan, D., & Shen, S. (2023). Biff: Bi-level future fusion with polyline-based coordinate for interactive trajectory prediction. In *Proceedings of the IEEE/CVF International Conference on Computer Vision* (pp. 8260-8271).
- [52] Balestriero, R., & LeCun, Y. (2022). Contrastive and non-contrastive self-supervised learning recover global and local spectral embedding methods. *Advances in Neural Information Processing Systems*, 35, 26671-26685.
- [53] Bai, C., Liu, P., Liu, K., Wang, L., Zhao, Y., Han, L., & Wang, Z. (2021). Variational dynamic for self-supervised exploration in deep reinforcement learning. *IEEE Transactions on neural networks and learning systems*, 34(8), 4776-4790.
- [54] Lambert, N., Wilcox, A., Zhang, H., Pister, K. S., & Calandra, R. (2021, December). Learning accurate long-term dynamics for model-based reinforcement learning. In *2021 60th IEEE Conference on decision and control (CDC)* (pp. 2880-2887). IEEE.
- [55] Hafner D, Lillicrap T, Fischer I, et al. Learning latent dynamics for planning from pixels. International Conference on Machine Learning. 2019:2555-2565.
- [56] Chen, X., Wang, M., Wang, S., Chen, Y., Wang, R., Zhao, C., & Hu, X. (2022). Weather radar nowcasting for extreme precipitation prediction based on the temporal and spatial generative adversarial network. *Atmosphere*, 13(8), 1291.
- [57] Duberg, D., & Jensfelt, P. (2020). UFOMap: An efficient probabilistic 3D mapping framework that embraces the unknown. *IEEE Robotics and Automation Letters*, 5(4), 6411-6418.
- [58] Cui H, Radosavljevic V, Chou FC, et al. Multimodal trajectory predictions for autonomous driving using deep convolutional networks. International Conference on Robotics and Automation. 2019:2090-2096.
- [59] Gao J, Sun C, Zhao H, et al. VectorNet: Encoding HD maps and agent dynamics from vectorized representation. Conference on Computer Vision and Pattern Recognition. 2020:11525-11533.
- [60] Zhu, R., & Rigotti, M. (2021, May). Self-correcting q-learning. In *Proceedings of the AAAI conference on artificial intelligence* (Vol. 35, No. 12, pp. 11185-11192).
- [61] Sewak, M., Sahay, S. K., & Rathore, H. (2021). Policy-approximation based deep reinforcement learning techniques: an overview. *Information and Communication Technology for Competitive Strategies (ICTCS 2020) ICT: Applications and Social Interfaces*, 493-507.
- [62] Yang, S., Ding, G., Chen, Z., & Yang, J. (2025). GART: Graph Neural Network-based Adaptive and Robust Task Scheduler for Heterogeneous Distributed Computing. *IEEE Access*.
- [63] Farkas, B. K., Galambos, P., & Széll, K. (2024, October). Advances in Autonomous Robotic Grasping: An Overview of Reinforcement Learning Approaches. In *2024 IEEE 6th International Symposium on Logistics and Industrial Informatics (LINDI)* (pp. 000213-000220). IEEE.
- [64] Rothert, J. J., Lang, S., Seidel, M., & Hanses, M. (2024, September). Sim-to-Real Transfer for a Robotics Task: Challenges and Lessons Learned. In *2024 IEEE 29th International Conference on Emerging Technologies and Factory Automation (ETFA)* (pp. 1-8). IEEE.

- [65] Desai, A., Ghosh, S., Seshia, S. A., Shankar, N., & Tiwari, A. (2019, June). SOTER: a runtime assurance framework for programming safe robotics systems. In 2019 49th Annual IEEE/IFIP International Conference on Dependable Systems and Networks (DSN) (pp. 138-150). IEEE.
- [66] Ashukha, A., Lyzhov, A., Molchanov, D., & Vetrov, D. (2020). Pitfalls of in-domain uncertainty estimation and ensembling in deep learning. arXiv preprint arXiv:2002.06470.
- [67] Mobiny, A., Yuan, P., Moulik, S. K., Garg, N., Wu, C. C., & Van Nguyen, H. (2021). Dropconnect is effective in modeling uncertainty of bayesian deep networks. *Scientific reports*, 11(1), 5458.
- [68] Gupta, S., Singh, P., Chang, K., Qu, L., Aggarwal, M., Arun, N., ... & Kalpathy-Cramer, J. (2021). Addressing catastrophic forgetting for medical domain expansion. arXiv preprint arXiv:2103.13511.
- [69] Feng, T., Qi, Q., Wang, J., & Liao, J. (2021, June). Few-shot class-adaptive anomaly detection with model-agnostic meta-learning. In 2021 IFIP networking conference (IFIP Networking) (pp. 1-9). IEEE.
- [70] Wischmeyer, T. (2019). Artificial intelligence and transparency: opening the black box. In *Regulating artificial intelligence* (pp. 75-101). Cham: Springer International Publishing